

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/602,487	06/23/2003	Daniel Castro	50623.305	6004		
7590 09/01/2005		·	EXAMINER			
Paul J. Meyer	, Jr.	MICHENER, JENNIFER KOLB				
	s & Dempsey L.L.P.					
1 Maritime Plan	za, Suite 300		ART UNIT	PAPER NUMBER		
San Francisco, CA 94111			1762			
				DATE MAILED: 09/01/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	,,,				
		10/602,487	CASTRO ET AL.					
Oi	fice Action Summary	Examiner	Art Unit					
		Jennifer K. Michener	1762					
The Period for Rep	MAILING DATE of this communication appo ly	ears on the cover sheet with the c	orrespondence ad	dress				
WHICHEVE - Extensions of after SIX (6) N - If NO period for Failure to repl Any reply received.	NED STATUTORY PERIOD FOR REPLY IN INC.	ATE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be timil apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE!	N. sely filed the mailing date of this co D (35 U.S.C. § 133).					
Status								
1)⊠ Respo	onsive to communication(s) filed on <u>21 Ju</u>	ne 2005.						
· <u> </u>		action is non-final.						
3)☐ Since	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Disposition of	Disposition of Claims							
4)⊠ Claim	☑ Claim(s) <u>94-183</u> is/are pending in the application.							
4a) Of	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)☐ Claim	5) Claim(s) is/are allowed.							
<u> </u>	(s) is/are rejected.							
· ·	(s) is/are objected to.	a ala atla a sa a sina a ant						
8) <u>IXI</u> Claim	(s) <u>91-183</u> are subject to restriction and/o	r election requirement.						
Application Pa	pers							
9)□ The sp	pecification is objected to by the Examine	r.						
10)☐ The di	10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
`	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under	35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:								
1.	Certified copies of the priority documents							
2.	Certified copies of the priority documents			-				
3.∐	Copies of the certified copies of the prior	•	ed in this National	Stage				
* See the	application from the International Bureau attached detailed Office action for a list of		ad.					
* See the attached detailed Office action for a list of the certified copies not received.								
Amorto (1)								
Attachment(s) 1) Notice of Ref	erences Cited (PTO-892)	4) Interview Summary	(PTO_413)					
2) Notice of Dra	ftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate					
	Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Mail Date	5) Notice of Informal P 6) Other:	atent Application (PTC) - 152)				

U.S. Patent and Trademark Office PTOL-326 (Rev. 7-05)

le

Application/Control Number: 10/602,487 Page 2

Art Unit: 1762

DETAILED ACTION

Based on the significant claim amendments since the original restriction requirement, addition of numerous claims, and non-indication of previously withdrawn claims, Examiner issues the following new restriction requirement:

Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - I. Claims 94-109, 127-130, 135, 137-143, 148, 150, 152, 154, 155, 158 drawn to a method of causing a dispenser to be moved along a path defined by a frame structure of a stent such that it avoids application of coating substance in a space, classified in class 427, subclass 2.1.
 - II. Claims 110-126, 131-134, 136, 144-147, 149, 151, 153, 156, 157, 159 drawn to a method of causing a stent to be moved such that the positioning of a dispenser is maintained along a path defined by a frame structure of a stent such that it avoids application of a coating substance in a space, classified in class 427, subclass 2.1.
 - III. Claims 160-171, drawn to a method of causing a dispenser to move along a framework of a stent from a first position to a second position by operation of a computer, classified in class 427, subclass 2.1.
 - IV. Claims 172-183, drawn to a method of causing a stent to move from a first position to a second position such that the positioning of a dispenser is

Application/Control Number: 10/602,487 Page 3

Art Unit: 1762

maintained along a framework by operation of a computer, classified in class 427, subclass 2.1.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions I-IV are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different modes of operation, different functions, or different effects (MPEP § 806.04, MPEP § 808.01). In the instant case the different inventions are not disclosed as capable of use together and have different modes of operation. Groups I and III require causing a dispenser to be moved, which is not required by Groups II and IV. Groups II and IV require causing a stent to be moved, which is not required by Groups I and III. Groups I and II require avoidance of application of a coating substance in a space, which is not required by Groups III and IV include operation of a computer which is not required by Groups I and II. Groups III and IV require movement from a first to second position along a framework, not required by Groups I and II which require movement defined by a frame structure.
- 3. Because these inventions are distinct for the reasons given above and the search required for each of the Groups is not required for the other Groups, restriction for examination purposes as indicated is proper.
- 4. This application contains claims directed to the following patentably distinct species of the claimed invention: the dispenser and stent in contact or not in contact.

Application/Control Number: 10/602,487

Art Unit: 1762

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, claims 94, 110, 160, and 172 are generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

Art Unit: 1762

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer K. Michener whose telephone number is (571) 272-1424. The examiner can normally be reached on Tuesdays until 9/13; Mondays & Tuesdays thereafter.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy H. Meeks can be reached on 571-272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jernifer Michener

Primary Patent Examiner

AU 1762

August 30, 2005